

# 2012-2013

NEW & BESTSELLING PRODUCTS FULL LINE CATALOG

## Tuffy Presentation Stations 42<sup>°</sup>H x 24<sup>°</sup>W x 18<sup>°</sup>D

#### NEW Tuffy Pullout Shelf Series

19 % W x 15 % D

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip and are available in 12 unique colors.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.



WTPSLP42E-N



TPSLP42C4E-N

WTPS42C4E-N



WTPS42E-N



WT42C4E-N




# 

## 42" Tuffy Presentation Stations

Front & Side pull-out shelves ideal for laptop, keyboards and projectors. Lockable WTD drawers great for storage and added security.

```
19 5/8"W x 13 5/8"D
```



WTPSP42C4E-N

먥









WT42E-N/WTD

## Tuffy Presentation Stations 34"H x 24"W x 18"D

#### NEW Tuffy Pullout Shelf Series

#### 19 5/8"W x 15 5/8"D

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a ¼″ safety retaining lip and are available in 12 unique colors.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.



WT34C4E-N


**WT34E-N** 

NTPS34C4E-N

WT34C4E-N/WTD

WT34E-N/WTD

## 34" Tuffy Presentation Stations



#### 26" Tuffy Carts



To specify which shelf color is ordered, replace  $\bigstar$  in this example product number with shelf color code of choice:

#### WT34 C4E-N

## Tuffy Presentation Stations 42<sup>°</sup>H x 24<sup>°</sup>W x 18<sup>°</sup>D

#### NEW Tuffy Pullout Shelf Series

#### 19 % W x 15 % D

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip and are available in 12 unique colors.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

Shelf Color Code:	Black	<b>Gray</b> GY	<b>Putty</b> OW	<b>Red</b> R	<b>Burgundy</b> BY	<b>Blue</b> BU
	<b>Yellow</b> Y	Orange OR	<b>Hunter Green</b> HG	<b>Green</b> G	Purple P	Navy Z



WTPSLP42E-B



TPSLP42C2E-B

WTPS42C2E-B



WTPS42E-B



WT42C2E-B


Black

# Black

## 42" Tuffy Presentation Stations

Front & Side pull-out shelves ideal for laptop, keyboards and projectors. Lockable WTD drawers great for storage and added security.

19 <sup>5</sup>/<sub>8</sub>"W x 13 <sup>5</sup>/<sub>8</sub>"D



WTPSP42C2E-B

 WT42E-B
 WTPSP42E-B

 WT42E-B
 WT42C2E-B/WTD

## Tuffy Presentation Stations 34"H x 24"W x 18"D

#### NEW Tuffy Pullout Shelf Series

#### 19 5/8"W x 15 5/8"D

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip and are available in 12 unique colors.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.



WT34C2E-B

**WT34E-B** 

WTPS34C2E-B


WT34C4E-B/WTD

WT34E-B/WTD

## 34" Tuffy Presentation Stations



Pull-out shelves ideal for laptop, keyboards and projectors. Lockable WTD drawers great for storage and added security.



Shelf Color Code:	Black	<b>Gray</b> GY	<b>Putty</b> OW	<b>Red</b> R	Burgundy BY	<b>Blue</b> BU
	<b>Yellow</b> Y	Orange OR	Hunter Green HG	<b>Green</b> G	Purple P	<b>Navy</b> Z

#### 26" Tuffy Carts



To specify which shelf color is ordered, replace  $\star$  in this example product number with shelf color code of choice:

#### WT34 C2E-B

## Tuffy Presentation Stations 42<sup>°</sup>H x 24<sup>°</sup>W x 18<sup>°</sup>D

#### NEW Tuffy Pullout Shelf Series

#### 19 % W x 15 % D

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip and are available in 12 unique colors.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

Shelf Color Code:	Black	<b>Gray</b> GY	<b>Putty</b> OW	<b>Red</b> R	<b>Burgundy</b> BY	<b>Blue</b> BU
	Yellow Y	Orange OR	Hunter Green HG	<b>Green</b> G	Purple P	<b>Navy</b> Z



PSLP42C3E

WTPS42C3E




Visit www.hwilson.com/order to find a dealer near you

## 42" Tuffy Presentation Stations

Front & Side pull-out shelves ideal for laptop, keyboards and projectors. Lockable WTD drawers great for storage and added security.

19 % W x 13 % D



WTPSP42C3E



## Tuffy Presentation Stations 34<sup>"</sup>H x 24<sup>"</sup>W x 18<sup>"</sup>D

#### NEW Tuffy Pullout Shelf Series

#### 19 % W x 15 % D

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip and are available in 12 unique colors.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.




WTPS34C3E

Visit www.hwilson.com/order to find a dealer near you

## 34" Tuffy Presentation Stations



Pull-out shelves ideal for laptop, keyboards and projectors. Lockable WTD drawers great for storage and added security.



Shelf Color Code:	Black	<b>Gray</b> GY	<b>Putty</b> OW	<b>Red</b> R	Burgundy BY	<b>Blue</b> BU
	<b>Yellow</b> Y	Orange OR	<b>Hunter Green</b> HG	<b>Green</b> G	Purple P	<b>Navy</b> Z

#### 26" Tuffy Carts



To specify which shelf color is ordered, replace  $\star$  in this example product number with shelf color code of choice:

#### WT34 C3E

## Adjustable Height Steel A/V Carts 24 - 42"H x 18"D x 24"W

Available in 5 Colors:




Steel shelves have a <sup>1</sup>/<sub>4</sub>" retaining lip, with cable access holes. No slip rubber mat for adjustable top shelf.

Locking security cabinet has full piano hinge door. Pull-out keyboard shelf which is ideal for laptop & keyboards.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

Color Black Gray	<b>Red</b>	<b>Burgundy</b>	<b>Blue</b>
Options: GY	R	BY	BU



To specify which unit color is ordered, replace ★ in this example product number with available color option of choice: W42A★CEKBDL

## **Adjustable Height Steel A/V Carts**



Steel shelves have a ¼" retaining lip, with cable access holes. No slip rubber mat for adjustable top shelf.


Locking security cabinet has full piano hinge door. Pull-out keyboard shelf which is ideal for laptop & keyboards.

Drop leaf side shelves add an additional work area and lock easily into position.

A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

W42AEKBDL



3⁄4″ 3⁄4″	

Color Black Gray	Red	Burgundy	<b>Blue</b>
Options: GY	R	BY	BU

## Adjustable Height Steel A/V Carts 24 - 42"H x 24"W x 18"D



Steel shelves have a  $\frac{1}{4}$  retaining lip, with cable access holes. No slip rubber mat for adjustable top shelf.

Locking security cabinet has full piano hinge door.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

Color	Black	Gray	Red	Burgundy	Blue
Options:		GY	R	BY	BU



To specify which unit color is ordered, replace ★ in this example product number with available color option of choice: W42A★CEKBDL

### **Fixed Height Steel A/V Carts & Cabinets**

Available in three heights:  $26^{"}$ ,  $34^{"}$ ,  $42^{"}$ . All steel shelves are  $18^{"} \times 24^{"}$  with a  $\frac{1}{4}^{"}$  retaining lip. Steel shelves are welded for increased strength.

3-Outlet UL listed electrical assembly with 15 ft. cord. A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.



Available in three heights 26<sup>°</sup>, 34<sup>°</sup> and 42<sup>°</sup>. 34<sup>°</sup> has one interior adjustable shelf, 42<sup>°</sup> has two shelves. Locking security cabinet has full piano hinge doors.

3-Outlet UL listed electrical assembly with 15 ft. cord. A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.



## Multi-Media Work Center 37½<sup>2</sup>H x 25<sup>2</sup>W x 19¼<sup>2</sup>D

This sturdy multimedia station includes an easy glide laptop shelf, two drop leaf shelves.

A cabinet, that includes an adjustable, even removable inner shelf.

Constructed from a durable black/gray laminate finish.

A set of silent roll, 3" furniture casters, two with locking brakes.

The Top shelf has a rounded corner for safety.



**Closed View** 

WPSDD3

Adjustable Inner Shelf

#### Extra Wide Boardroom Presentation Stations 42"H x 36"W x 18"D







WTPS70BR5E-B

WTPS72BR5E-B

WTPS73BR5E-B

Ideal for visual presenters and document cameras. Multiple shelves accept any combination of presentation equipment. The Boardroom series features aspen or black cherry look wood inlays.

Locking steel cabinet panels fit firmly into the specially molded leg slots. Pull-out shelf ideal for laptop and keyboard. Lockable WTD drawers great for storage and added security.

A set of six heavy duty, 4<sup>"</sup> boardroom casters, three with locking brakes. Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.





Wood

BRE

Series

BR5E-B

Series

Black

Cherry

Black







WTPS71BRE


WTPS70BRE

WTPS73BRE

WTPS72BRE




WTPS71BR5E-B



## Extra Wide Presentation Stations 42<sup>"</sup>H x 36<sup>"</sup>W x 18<sup>"</sup>D



19 5⁄8 W x 15 5⁄8 D



Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a 1/4" safety retaining lip.

Locking steel cabinet panels fit firmly into the specially molded leg slots.

Pull-out shelf ideal for laptop and keyboards. Lockable WTD drawers great for storage and added security.

Includes black/gray reversible inlays for a smooth work surface.



WTPS70E-N

WTPS73E-N


WTPS72E-N

#### **Extra Wide Presentation Stations**



All extra wide presentation stations include a set of six silent roll, 4" full swivel ball bearing casters, three with locking brakes.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.






WTPS70E

WTPS73E

WTPS72E

## WPS4HD Presentation Stations 41"H x 18<sup>1</sup>/<sub>4</sub>"W x 34<sup>1</sup>/<sub>2</sub>"D



This mobile presentation cart has four gray laminate work surfaces with a black steel frame. The adjustable second shelf can be set from 33<sup>°</sup> up to 41<sup>°</sup> high.

Locking wood laminate cabinet model inner dimensions are:  $18\frac{3}{4}$  H x  $13\frac{3}{4}$  W x  $13\frac{3}{4}$  D.

Optional 7-outlet UL approved electrical assembly with 25 ft. cord.

A set of heavy duty 4" full swivel ball bearing casters, two with locking brakes.



WPS4HDE

#### WPS4 Presentation Stations 39½"H x 18¼"W x 34½"D




This mobile presentation cart has four gray laminate work surfaces with a black steel frame. The adjustable second shelf can be set from  $31\frac{1}{2}$ " up to  $39\frac{1}{2}$ " high.

Locking wood laminate cabinet model inner dimensions are:  $18\frac{3}{4}$  H x  $13\frac{3}{4}$  W x  $13\frac{3}{4}$  D.

Optional 3-Outlet UL approved electrical assembly with 15 ft. cord.

A set of silent roll, 3" furniture casters, two with locking brakes.





WPS4CE

## WPS4 Boardroom Presentation Stations 39½ H x 18¼ W x 34½ D



This Boardroom series presentation unit has four aspen wood looking laminate work surfaces with a nickel steel frame. The adjustable second shelf can be set from 33<sup>°</sup> up to 41<sup>°</sup> high.


Locking wood laminate cabinet model inner dimensions are:  $18\frac{3}{4}$  H x  $13\frac{3}{4}$  W x  $13\frac{3}{4}$  D.

Includes a 7-outlet UL approved electrical assembly with 25 ft. cord.

A set of heavy duty 4" boardroom casters, two with locking brakes.



WPS4BRE



#### **WPS4 Boardroom Presentation Stations**



This Boardroom series presentation unit has four black cherry wood looking laminate work surfaces with a black steel frame. The adjustable second shelf can be set from 33<sup>°</sup> up to 41<sup>°</sup> high.


Locking wood laminate cabinet model inner dimensions are:  $18\frac{3}{4}$  H x  $13\frac{3}{4}$  W x  $13\frac{3}{4}$  D.

Includes a 7-outlet UL approved electrical assembly with 25 ft. cord.


A set of heavy duty 4" boardroom casters, two with locking brakes.



WPS4BR5E



## WPS6 Heavy Duty Presentation Stations 41"H x 23¾"W x 35½"D



Also available with 7-Outlet electrical assembly or no electrical assembly

WPS6HDE

#### WTPS4CE Maximum Storage Workstation 42"H x 24"W x 36"D



Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip.

Pull-out shelf is ideal for a laptop, keyboards and projectors. Both sets of locking steel cabinet panels fit firmly into the specially molded leg slots.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

A set of six silent roll, 4" full swivel ball bearing casters, three with locking brakes.

#### **Mobile Presentation/Projector Stands**



#### WPS3

Top shelf can be mounted either facing forward or back. Middle shelf adjusts from 13<sup>°-</sup>18<sup>°</sup> High. Includes a set of silent roll, 3<sup>°</sup> furniture casters, two with locking brakes.

#### WPSDA

Platforms each tilt 45° and both work surfaces are independently adjustable in height. Suited for seated or standing use. ¼" retaining lip on the bottom edge. Includes a set of silent roll, 3" furniture casters, two with locking brakes.

**WPS3** 40½ - 48″H x 18¼″W x 29½″D **WPSDA** 32½ - 41″H x 31″W x 14½″D

## WPS5CE Presentation Stations 30<sup>1</sup>/<sub>4</sub> - 41<sup>1</sup>/<sub>2</sub><sup>"</sup>H x 32<sup>1</sup>/<sub>2</sub><sup>"</sup>W x 31<sup>"</sup>D




This presentation station features a split top surface that adjusts from  $30\frac{1}{4}$  -41 $\frac{1}{2}$  in height.

Made of a durable easy clean laminate finish. All doors and platforms are lockable.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord.

A set of six silent roll, 3" furniture casters, three with locking brakes.



Closed Unit passes through most doorways

Inner shelf is adjustable

## 'The Ultimate Tuffy' Presentation Station 41"H x 24"W x 18"D




This Presentation station features  $18^{"} \times 24^{"}$  top shelf. Textured surface with  $\frac{1}{4}^{"}$  safety retaining lip. Cable management hole in middle shelf.

Locking steel cabinet panels fit firmly into the specially molded leg slots. Slide out projector platform with vertical clearance of  $9\frac{3}{4}$ " with locking door.

Lower cabinet has two 18" x 24" surfaces and two locking doors to provide access to A/V equipment. Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord & cord wrap.

A set of silent roll, 5" full swivel ball bearing casters, two with locking brakes.





Ventilated steel side panels allow sound to emanate from the cabinet and provides heat ventilation for equipment.

## Universal LCD/Flat Panel Stands 45 - 65"H x 27"W x 23½"D



This Flat panel stand holds 37" to 60" flat panel TV's. Two heavy duty chrome steel tubes with a black powder coated base and cable management slots. Engineered for safety.

The heavy duty base plate's  $27^{"} \times 23^{"}$  footprint prevents tipping and the 49 lbs. of counter weight provides the proper center of gravity.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Optional shelf add-on is available for DVD player & A/V equipment. 19" x 12" available shelf space.



#### **WFST Universal Flat Panel Mount**

Includes the WFST flat panel mount which holds a 37<sup>°</sup> - 60<sup>°</sup> TV. The Universal glide bracket design easily hooks onto a mount plate and keeps the display securely attached. Smooth continuous touch tilt that allows up to 15<sup>°</sup> (+ or -) of adjustment. Mounting hardware included.



WPSMS62CH 60"H



WPSMS44CH-4

50″H



**WPSMS44CH** 45″H



Visit www.hwilson.com/order to find a dealer near you

#### Flat Panel TV Console w/ Lockable Storage 66"H x 47"W x 23<sup>3</sup>/<sub>5</sub>"D




This entertainment center is built to manage most 60" LCD and flat panel TVs.

This wooden laminate unit offers enclosed cabinet space, a center shelf compartment and a drawer for organizing A/V components. Includes universal mount.

Two locking cabinets and drawers. A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.

The brackets of the flat panel mount can be adjusted from  $2^{"}$  to  $31\frac{1}{2}^{"}$  apart. Includes 3-outlet UL listed electrical assembly with 15 ft. cord & cord wrap.



Adjustable Interior Shelves Features cable pass through



## Universal LCD/Flat Panel Stands 62¼"H x 31½"W x 27¾"D



This versatile flat panel stand holds a  $32^{\circ}$  -  $60^{\circ}$  flat panel TV.

Large footprint provides stability and prevents tipping. Three plastic shelves  $28\frac{1}{2}$  W x  $13\frac{1}{2}$  D.

Light gray steel tube frame. Built in push handle. A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Universal mounting bracket included.  $62\frac{1}{4}$  high is the measurement from the floor to mount center.


WPSMS51 Mobile Flat Panel Stand

The WPSMS51 Includes the **WFST Universal Mount** which holds a 37 - 50<sup>"</sup> flat panel or LCD TV. Constructed of an all steel frame.

Four 4<sup>"</sup> lockable casters. Single shelf for DVD player or other A/V equipment. Stylish, curved metal legs.

Integrated wire management. Black powder coat paint finish. Perforated back panel.

\*Height is the measurement from the floor to mount center





32

## Mobile Carts w/ Universal Flat Panel Mount


Tuffy video carts bracket includes a WFST Universal Mount. With an exclusive counter-weight system.

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. There are two metal reinforcements molded into the 2<sup>"</sup> thick top shelf for extra strength.


Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord. Electrical assembly is recessed to insure easy passage through doorways and other tight spots.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Locking steel cabinet panels fit firmly into the specially molded leg slots.



## Adjustable Height Steel LCD Carts 44<sup>"</sup>- 62<sup>"</sup>H x 24<sup>"</sup>W x 18<sup>"</sup>D



To specify which unit color is ordered, replace  $\star$  in this example product number with available color option of choice:

#### W42A CEDL-LCD

## Large Adjustable Height Steel A/V LCD Carts

This adjustable steel A/V Cart can hold up to a 42<sup>"</sup> flat panel display. Shelves are 20<sup>"</sup>D x 32<sup>"</sup>W with a <sup>1</sup>/<sub>4</sub><sup>"</sup> retaining lip.Top & middle shelves feature holes for cable management.</sup>

Locking security cabinet has full piano hinge doors. Access hole in the back of the cabinet for easy cable management.

Pull-out keyboard shelf which is ideal for laptop & keyboards.

A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.

Includes 3-outlet UL listed electrical assembly with a 15 ft. cord.






 $\begin{array}{c} 184^{\prime\prime} \times 114^{\prime\prime} \\ \hline 184^{\prime\prime} \times 114^{\prime\prime} \\ \cdot 114^{\prime$ 

NEW

\*Height is the measurement from the floor to mount center

# **Universal LCD Projector Mounts**





#### Fixed Height Projector Mounts

**WCFLCDM** has a fixed 6<sup>"</sup> pipe extension (1<sup>1</sup>/<sub>4</sub><sup>"</sup> threaded pipe) from the ceiling mount and the mounting claws are adjustable from 3<sup>1</sup>/<sub>2</sub><sup>"</sup> to 6<sup>1</sup>/<sub>2</sub><sup><math>"</sup> which will accommodate most LCD projectors.</sup></sup></sup></sup>

**WFLCDM** also has a fixed 6" pipe extension (1<sup>1</sup>/<sub>4</sub>" threaded pipe) from ceiling mount. The flat mounting arms line up with the mounting holes on your projector.

#### \*LCD Projector Not Included

## **Universal LCD Projector Mounts**




#### **LXPBL Universal Projector Ceiling Mount**

This adjustable universal projector mount offers 360° of rotation, and a 0° to 20 ° tilt.

The pipe length can be adjusted between 9 -  $12\frac{1}{2}$  and includes a cable channel enclosure.

It has a low profile appearance and is easy to install.

#### LXPBL



#### LXAPL Adapter Kit for LXPBL

This Adapter kit for the LXPBL allows for adjustable extension lengths from 26<sup>"</sup> to 47<sup>"</sup> and continues the channel enclosure.

The enclosure holds the cables and maintains the clean, seamless look.

This adapter kit comes in a black finish. This unit does not include the mount kit.

LXAPL

\*LCD Projector Not Included

# **Mobile Computer Workstations**

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip. Available in black.

Features an adjustable pull-out metal keyboard shelf. Inlays for top shelves create a smooth work surface and are reversible in nickel or black.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord. Electrical assembly is recessed to pass through narrow spaces.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.



**WTM9E** 33″H x 24″W x 18″D



**WTM1E** 33″H x 24″W x 18″D

**WTM5E** 41½″H x 24″W x 18″D

**WTM8E** 54″H x 24″W x 18″D

## **Mobile Computer Workstations**

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip. Leg room cut out into the bottom shelf. Pull-out shelf units ideal for laptop and keyboards.

Includes a 3-outlet UL listed electrical assembly with a 15 ft. cord. A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.



**WTME** 27″H x 32″W x 24″D



**WTMRE** 51½″H x 32″W x 24″D



39½″H x 32″W x 24″D



#### **WTM3234** 34″H x 32″W x 24″D

#### 24" x 32" Increased Access Workstations

Table workstations provides increased height and leg clearance. Includes a convenient bottom shelf cut out. Optional **WTM-1** insert to provide a smooth working surface.

Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a  $\frac{1}{4}$  safety retaining lip. A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.

For more information visit www.hwilson.com

# **Bin Workstation w/ Storage Trays**

**CT122S2D8** 44¼″H x 31″W x 19¼″D



**CT122S18** 44¼″H x 31″W x 19¼″D

This workstation's steel frame securely attaches directly to the unique tray modules. The top work surface is a wood laminate finish.

The color trays are made from a high impact polystyrene, while the clear trays are made from ABS. Features a glide & tilt system which allows the tray to be positioned at an angle.

A set of silent roll, 4" full swivel ball bearing casters, two with locking brakes.

Dividers are available as accessories for the 12<sup>1</sup>/<sub>4</sub>" single depth trays. Each 12<sup>1</sup>/<sub>4</sub>" tray will accept two divider trays. Divider trays are  $2^{3}/_{8}$ "H x 7<sup>7</sup>/<sub>8</sub>"W x 11<sup>5</sup>/<sub>16</sub>"D



44¼"H x 17"W x 19¼"D

44¼"H x 43"W x 19¼"D

44¼″H x 23″W x 19¼″D

### **Bin Workstation w/ Storage Trays**



**G 123D9** 34¾″H x 44¾″W x 19¼″D

#### Available in 5 Colors:



**C123S18** 34¾″H x 44¾″W x 19¼″D

This workstation's steel frame securely attaches directly to the unique tray modules. The top work surface is a wood laminate finish.

The color trays are made from a high impact polystyrene, while the clear trays are made from ABS. Features a glide & tilt system which allows the tray to be positioned at an angle.

A set of silent roll, 4<sup>"</sup> full swivel ball bearing casters, two with locking brakes.



Trays available in two different lengths: 'SW' -  $12\frac{1}{4}$ '' or 'EW' -  $18\frac{1}{2}$ '' wide. Trays are also either single depth (S) -  $16\frac{1}{4}$ ''D x 3''H, or double depth (D) -  $16\frac{1}{4}$ ''D x  $6\frac{1}{4}$ ''H.

Clear lids are an option for all trays



Easy peel stipple area. For easy label removal



Ticket window (included)







34¾"H x 62¾"W x 19¼"D

34¾ H x 31 W x 19¼ D

34¾"H x 43"W x 19¼"D

To specify which tray color is ordered, replace  $\star$  in this example product number with available tray color option of choice: CT122S18- $\star$ 


# **Specialty Utility Carts**

All Shelves are constructed with a injection molded thermoplastic resin. Will not chip, warp, rust or peel. Shelves have a 1/4" safety retaining lip.

All include a set of silent roll, 4" full swivel ball bearing casters, two with locking brakes. Has a maximum weight capacity of 300 lbs.







To specify which shelf color is ordered, replace ★ in this example product number with available shelf color option of choice: WT78 MH

WT34<del>\*</del>S

WT34CC Coffee Carts

Locking steel cabinet panels fit firmly into the specially molded leg slots. Includes 12" x 18" WPT side shelf for extra serving space. WT34CCBR includes boardroom casters.



# Index

010000	
C122D6	
C122S12	
C123D9	
C123S18	41
C182D6	41
C182S12	41
C183D9	41
C183S18	41
CT121S1D4	40
CT121S9	40
CT122S2D8	40
	40
CT122S18	
CT181S1D4	40
CT181S18	40
CT182S2D8	40
CT182S18	40
LXAPL	37
LXPBL	37
MC29E	17
MC34E	17
MC42E	17
W26E	17
W34E	17
W42ACE	16
W42ACEDL-LCD	34
	14
W42ACEKBDL	15
W42ACE-LCD	34
W42AE	16
W42AEDL-LCD	34
W42AEKB	14
W42AEKBDL	15
W42AE-LCD	34
W42E	17
W42XL	35
W42XLC	
W42XLC-LCD	
W42XLKB	35
W42XLKBC	35
W42XL-LCD	
	35
WALCOM	36
WCALCDM	36
WCFLCDM	36
WFLCDM	36
WFP100	32
WFST	30
WPS3	27
WPS4BR5CE	25
WPS4BR5E	20
	25
WPS4BRCE	
WPS4BRCE	25
WPS4BRCE WPS4BRE	25 24 24
WPS4BRCE WPS4BRE WPS4CE	25 24 24 23
WPS4BRCE WPS4BRE	25 24 24

	00
WPS4HDE	
WPS5BCE	
WPS5CE	
WPS6HDCCE	26
WPS6HDCE	26
WPS6HDE	
WPSDA	
	18
WPSMS44CH	30
WPSMS44CH-4	
WPSMS51	32
WPSMS62CH	30
WPSMS62SCH-4	
WPTV28CE	
WPTV28E	
WPTV44CE	
WPTV44E	
WPTV50E	
WPVC65E	31
WT26C2E-B	9
WT26C3E	13
WT26C4E-N	
WT26E	
WT26E-B	9
WT26E-N	
WT34C2E-B	8
WT34C3E	12
WT34C3E/WTD	12
WT34C4E-B/WTD	8
WT34C4E-N	-
	4
WT34CC	
WT34CCBR	
WT34E	
WT34E-B	
WT34E-B/WTD	8
WT34E-N	4
WT34E-N/WTD	4
WT34E/WTD	•
WT34S	
WT42C2E-B	42
WT42C2E-B/WTD	7
WT42C3E	10
WT42C3E/WTD	11
WT42C4E-N	2
WT42C4E-N/WTD	3
WT42E	11
WT42E-B	7
WT42E-B/WTD	-
WT42E-N	3
WT42E-N/WTD	
WT42E/WTD	
WT42NH	
WT60NH	42

WT78NH	42
WTM1E	38
	38
WTM5E	
WTM8E	38
WTM9E	38
WTM3234	39
	39
WTME	
WTMRE	39
WTMTHE WTPS4CE-02	39
WTPS4CE-02	27
WTPS4CE-06	27
WTF34CE-00	
WTPS4CE-07	27
WTPS34C2E-B	8
WTPS34C3E	12
WTPS34C4E-N	4
	•
WTPS34E	13
WTPS34E-B	9
	5
WTPS34E-N WTPS42C2E-B	6
	-
WTPS42C3E	10
WTPS42C4E-N	2
WTPS42E	10
WTPS42E-B	6
WTF 342E-D	-
WTPS42E-N	2
WTPS70BR5E	19
WTPS70BRE	19
WTPS70E	21
WTPS70E-N	
	20
WTPS71BR5E	19
WTPS71BRE	19
WTPS71E	21
WTPS71E-N	20
WTPS72BR5E	19
WTPS72BRE	19
WTPS72E	21
WTPS72E-N	
WTPS73B5RE	
WTPS73BRE	19
WTPS73E	21
WTPS73E-N	20
	29
WTPSCE	
WTPSLP42C2E-B	6
WTPSLP42C3E	10
WTPSLP42C4E-N	2
WTPSLP42E	10
WTPSLP42E-B	6
WTPSLP42E-N	2
WTPSP42C2E-B	7
WTPSP42C3E	11
	3
WTPSP42C4E-N	.5
WTPSP42E	11
WTPSP42E WTPSP42E-B	
WTPSP42E-B	11
	11 7

# ZX H.WILSON

Presentation Furniture Mobile Projector Stations Computer Workstations Audio Visual Carts and Storage Flat Screen Mounts, Stands & Carts Storage Carts & Shelving



All H. Wilson products are backed by a manufacturers limited lifetime warranty against defects and workmanship. Visit www.hwilson.com/warranty for full details. Many of our products are made in the U.S.A. and feature recycled material. All products ship via FedEx or UPS unless marked with this truck line icon:





Scan this code on your mobile device or visit us at www.hwilson.com for the latest product information. Also "like" us on Facebook.

