

## WHAT'S

.......

6-2



intuitive products, teacher & student desks, lecterns, activity tables

PAGES 14-31

learning bay, tables, work stations, paravision, art & design, science tables

## PAGES 32-45

circulation, shelving, study carrels, kiosks

PAGES 46-49 STORAGE technology & classroom storage

0, 0

PAGES 50-53 ADNIN desk shells, credenzas, hutches,

conference tables, reference tables

PAGES 54-59 ACCESSORIES

power supply, keyboard trays, cpu towers, casters, monitor arms

PAGES 60-68

product sizes and shapes

where EDUCATION happens

student desks teacher desks lecterns activity tables utility tables

WW





#### LEARN-IT<sup>™</sup>

One or two-student desk with adjustable height legs





Step 2

Step 3





#### ► COMPUTE-IT

One or two-student computer desk includes perforated wire management tray



Wire management assembly - Step 1





Step 3



Step 2



#### TEACH-IT™

Teacher desk shown with MOVE-IT-2 caster option



Wire management



Add the SWITCH-IT desk return accessory to the TEACH-IT desk for maximum workspace



intuitive products



Student desks ideal for collaborative classroom settings



TEAM-IT<sup>™</sup>

Student desks designed with teamwork in mind

► READ-IT

Adjustable height reading table

Shown with MOVE-IT-2 caster option



MOVE-IT™





### UTILIZE-IT<sup>™</sup>

Utility tables are available in rectangular, round, square and tombstone tops

Shown with MOVE-IT-4 caster option



#### SDS

◀

The standard student desk is adjustable height and available in one or two-student sizes





Optional perforated book box

Optional perforated modesty panel



P1TD

Teacher desk standard with one locking box/file pedestal and center drawer





VIEW PRODUCT SIZES, OPTIONS AND OTHER DETAILS ON PAGE 60





This stand-up teacher station is offered in a right or left configuration

#### F2460

Semi-recessed option with flat panel monitor



2560 - Shown with CRT monitor

 2160
 Fully recessed option is available for both flat panel and CRT monitors



teacher desks

#### TDS6636

Vite Management of

Teacher desk with perforated modesty panel is offered with a bow front, kidney or rectangular top

#### TDS

Teacher desk shell available with right or left return





#### TLECT40

Mobile standing lectern comes standard with ventilated door and shelf

Shown with optional LECT40-SHELF drop-leaf shelf



Standard lectern does not include ventilated door or shelf



## ACTIVITY TABLES

Versatile performers to fill any size or activity requirements with adjustable legs

Additional table top shapes: Rectangle, square, round, half round, trapezoid, horseshoe, shamrock, kidney, daisy

#### AT48SH-M

Shamrock top children's table great for activities of all kinds

lecterns/activity tables



.



work stations recessed monitor units science tables drafting tables art tables



NON TH



#### LRN60

Units come with deluxe skater casters and include quick configure ganging mechanism

#### LRN36

Dual-position flip door

Top locking position provides a secure place to store your laptop or CPU





Learning Bay laptop nest™

LAB





Right and left tech collaborative function adds excitement to this y-leg work station

Shown with optional FPMA-200 monitor arms



Shown with door open

Back view

Front view

#### RW/LW

Right and left wave work stations are shown with optional FPMA-200 monitor arms and SKC-4 casters



Y-leg work station available in 24 and 30″ depths

Shown with optional CPR CPU platform and KB21 keyboard tray



J-channel wire management



These single post leg work stations are available in 24" and 30" depths

Shown back to back with optional CPR CPU platforms, KB21 keyboard trays, and SPD48 printer stand



SCU42 printer stand



F6SR

Semi-recessed flat panel monitor

work stations are 24" deep and available in multiple sizes for one

LAB



# single post legs

#### < BL

Angular style work station for both right-hand and left-hand users with 22" workspace



PS2 printer stand for BL



PS4 printer stand for BL

## XLT

Upgraded version of our SLT with standard PS-200 two-outlet power supply

#### SLT

Space saving desks with pop-up, two-outlet data port surge protectors



#### DELUXE CD

Shown is the Deluxe CD work station which comes standard with CPU-A rack(s) and is shown with optional KB21 keyboard trays and SR814 storage rack

The Classic CD work station does not include the CPU-A

One and two station units available



Rear chase with pivotal door



Flip door wire chase work stations shown as the classic FD work station with optional KB21 keyboard tray, CPR platform, and HRC-4 casters

Also available as the Deluxe FD model which includes standard CPU-A rack(s)

One and two station units available



PBU18 printer stand



Flip door wire management



LAB

#### • F1600R

This semi-recessed multi-user work station comes standard with casters and CPR platforms

Shown with optional KB21 keyboard trays



PCU Two-tier desk, shown with optional HRC-4 casters

# CONNECT



Top access door with wire/cable cut-outs



Flip top access

#### CTT/SCT

Apron-frame design providing solid durability, plus corner unit for more configuration options



CTCU48 corner unit for CTT and FTT



4" adjustable glide

#### 1400

Curvilinear work center accommodates three work stations

Combine two for six-station table



1000XL

Two adjustable height three-station tables shown back to back with 1020XL printer stand

Shown with optional EL11 printer stand

 1500
 Comes standard with three KB21 keyboard trays and 3 CPU-A racks



#### 2272

Fully recessed work stations are available for flat panel or CRT monitors and come standard with keyboard trays, tempered glass, and 4-outlet surge suppressor with remote on/off switch

#### > 2236S/2236A

Fully recessed work station has adder unit to form continuous rows of worksurface.

Shown with optional 2100-PC privacy cover





#### F2436L

Semi-recessed positioning for flat panel monitors with standard keyboard tray



#### 2536SR-L Semi-recessed position for CRT monitors with standard keyboard tray

PARAVISION 2100 SERIES

#### 2136L

Fully recessed monitor bay places monitor inside the desk and comes standard with keyboard tray

Available for flat panel and CRT monitors

LAB

VIEW PRODUCT SIZES, OPTIONS AND OTHER DETAILS ON PAGE 63



#### CT48

This modern split top drafting table allows for  $24^{\circ}$  tilt on one side and is fixed for monitor placement on the other

Comes standard with CPR CPU rack and PDA pencil drawer



Solid and split-top drafting tables adjust up to 18 tilt levels or 24°

### DT

Solid and split-top drafting tables adjust up to 18 tilt levels or  $24^\circ$ 







A solid table that has multiple uses in the educational environment

LAB

REATE

# INVENI

m

#### WST

1-1-1

Solid oak table frames and legs provide durability to these wooden science tables

Tops are available in: (HPL) High-pressure laminate (CR) Chemsurf (EP) Epoxy Resin

#### WST-WC

Includes extended 6" apron with under-top storage cabinets

Available for all tops

LAB

#### MST

Sturdy science table are based on metal aprons

Tops are available in: (HPL) High-pressure laminate (CR) Chemsurf (EP) Epoxy Resin





Easy to assemble



Only available on HPL or CR tops

#### where INSPIRATION happens

shelving circulation reading tables study carrels public access centers

9

## A REAL PAGE TURNER



LIBR

# CIRCULATION DESKS



DESK SHELL



DESK SHELL with Transaction Shelf



32-WC, 39-WC Working Corner Unit



32-2D, 39-2D 2-Drawer Unit with Shelf



32-CWS, 39-CWS Computer Work Station

32-OS, 39-OS



32-CD, 39-CD Corner Display Unit



32-CC, 39-CC Closed Corner Display Unit



DBC Depressible Book Cart



32-ADA ADA Unit



Book Return



32-HD, 39-HD Hinged Door Unit





Revi GC<sup>1</sup> D

J





FIXED SHELVES

## INFINITY SHELVING

Offers a full range of shelf units from 36" to 84" high with a choice of metal or laminate shelving




Laminate shelf with Deflecta-stop™ will hold 120 lbs of weights with no deflection

	ADJUSTABLE
	SHELVES
SINGLE FACE SHELVING	
36-SFS	1
42-SFS	2
48-SFS	2
60-SFS	3
72-SFS	4
84-SFS	5
PICTURE BOOK SINGLE FACE	
42-PBSFS	1
48-PBSFS	2

	ADJUSTABLE SHELVES	FIXED SHELVES
DOUBLE FACE SHELVING		
36-DFS	2	2
42-DFS	4	2
48-DFS	4	2
60-DFS	6	2
72-DFS	8	2
84-DFS	10	2
PICTURE BOOK DOUBLE FACE		
42-PBDFS	2	2
48-PBDFS	4	2

THE INFINITY 3-COMPONENT LOCK-TIGHT SYSTEM™



**POSI-LOCK**<sup>TM</sup> Infinity's Lock-Tight system utilizes Posi-locks for shelving and panels

Posi-locks are secured by pins and locking cams for greater shelf security



DEFLECTA-STOP<sup>TM</sup> The Deflecta-Stop helps prevent shelf deflection while preventing books from pushing past the shelf on wood and metal shelving




UNITIZER BRACE<sup>TM</sup> The steel Unitizer Brace pulls the unit together to add more stability and prevent swaying panels

shelving

**IBR** 







Shown with SW-48 slatwall accessory, 48-AB accessory back, and optional coordinating HPL top
















PBSA/PBSAM Wood or metal picture book shelf



MSA/MSAM Wood or metal magazine shelf

### INFINITY LIBRARY METAL/LAMINATE COLORS














Cherry/ Black



Walnut/ Chateau Brown

## QUICK CONFIGURE SHELVING



shelving



Study carrels include bottom storage shelf with notched corners for wire management

## PUBLIC ACCESS CENTERS

Provide plenty of workspace and offer options that meet ADA requirements



e



Table carrels are available in 24" and 30" depth starter and adder units

Adjustable legs offer maximum flexibility

## TC100SD/TC100AD

Double-faced table carrels make the most out of your available space

**IBR** 

Infinity reading tables are offered in elementary, youth and adult heights and are available with square, rectangular or round tops

LT









## WLT

Clean looking wood leg reading tables with the structure you would expect from Paragon

Available in square, rectangular and round tops

LIBRAM



Adjustable height reading tables range from 24.5 to 35.5" H and are available in tombstone, rectangular, square and round tops



Leg assembly - Step 1















Comes standard with locking rear door compartment

## ■ WAVE KIOSK<sup>™</sup>

Comes standard with locking rear door compartment



Back view - door open



Back view - door closed



## SWC

Walk-up work center at comfortable working height



SR814 book rack



**BT-1836** The Infinity Book Truck provides mobile functionality and an appealing look



▲ 48-MD

39-DS

Six-pocket magazine display shows off latest periodicals

## LIBRARY DISPLAY

The Infinity library units include dictionary stands, atlas stands, and end of range units





where ORGANIZATION happens ۰



cabinets gaming stations lateral files technology storage classroom storage





Mobile technology storage available in your choice of four top shapes: oval, round, shamrock or rectangular

Shown with optional SSP-2 power pop-up

Additional top options shown on page 66







Continuous top technology storage available in one, two or three box configuration



Back view



LC laptop cradle™



Inside view with optional laptop cradles



## MGS

Convenient storage cabinet with adjustable shelves perfect for personal items and classroom supplies



MTS - teacher's storage



Locking two-drawer lateral file cabinet designed for legal or letter sized documents







## where CONNECTION happens

These



desks file pedestals administration desks conference tables reference tables



Add the SWITCH-IT return accessory to the WORK-IT desk to maximize your workspace





Adjustable height desk with perforated steel modesty panel

FILE-IT
 M
 Box/box/file mobile file pedestal



## WORK-IT

Select from frosted plastic, perforated steel or laminated modesty panel

## ADMINISTRATION DESK

A variety of configurations to meet your administrative needs

Additional supporting furniture shown on page 66-67

## CONFERENCE TABLES

This conference table is available in rectangle, racetrack and boat-shaped tops

Additional tabletop shapes on page 67







power supply keyboard trays casters monitor arms storage

5 5





SSP-2 2 outlet pop-up

PSP-6/PSP-6M

6 outlet surge



PS-100 Power/Data Center

PS-500

Power/Data Center



PS-200 Power/Data Center



PS-500 USB port



SP-4RS/SP-10 4 or 10 outlet surge



Contact us for details on hardwired installations



KB21 21" W x 10.5" D



KB21M 21" W x 10.5" D with 9" mouse pad



KB27 27" W x 10.5" D



HOUDINI 25" W, adjustable keyboard arm with wrist guard





CPU-M Adjustable 8-16" W



CPR Adjustable 6-10.5" W



CPU-A 8.5-10.5" W, 20" D, 21" H



LEARNING BAY-CPR CPU rack

### CASTERS



HRC-4 4" casters



SKC-4A 4" deluxe skate casters



DWCAS 2" dual wheel casters

### MONITOR ARMS



GS Gaming station TV mount



FPMA-200 Flat panel monitor arm



FPMA-100 Flat panel monitor arm






FF-FP, BBF-FP 2 and 3 drawer cabinets



U2 SHELF With rack rails



LC Laptop cradles



LEARNING BAY-NEST Laptop nest

### PARAVISION



FPMK Flat panel retrofit kit



2100-PC Privacy cover



PD Locking door for 2148 PAC units

ACCESSORIE





**CCESSORIE** 

## product INDEX

### **CLASSROOM**

#### INTUITIVE DESKS

LEARN-IT. One or two-student desk with adjustable height legs

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium single post upper leg is 14 gauge steel tube with 1/4"steel u-channel cross bar weldment. Leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Cross bar assembly is 16 gauge tubular steel. Milled aluminum end cap mechanism is held in place with the insertion of the floor glide.

LEARN-IT-2260	60" W	22″ D	23.5-34.5″ H
LEARN-IT-2229	29″ W	22″ D	23.5-34.5" H

#### One or two-student computer desk includes perforated wire management tray

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium single post upper leg is 14 gauge steel tube with 1/4"steel u-channel cross bar weldment. Leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Cross bar assembly is 16 gauge tubular steel. Milled aluminum end cap mechanism is held in place with the insertion of the floor glide. WIRE MANAGEMENT: 18 gauge perforated steel wire manager that pivots for wire access.

COMPUTE-IT-2260	60″ W	22″ D	23.5-34.5" H
COMPUTE-IT-2229	29" W	22″ D	23.5-34.5" H

#### TEACH-IT . . . Adjustable height teacher desk

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium all terrain leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Molded plastic end cap. WIRE MANAGEMENT: Perforated 16 gauge steel j-channel modesty panel/wire manager. AVAILABLE OPTIONS: MOVE-IT-2 or MOVE-IT-4 casters sets.

SWITCH-IT . . . . Pivoting desk return that attaches to the TEACH-IT teacher desk to maximize work space

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium single post leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Molded plastic end cap. Skater casters allow the return to pivot freely.

SWITCH-IT-2048	48″ W	20″ D	23-34″ H
SWITCH-IT-2036	36″ W	20" D	23-34" H

Student desks ideal for collaborative classroom settings

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium all terrain leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Molded plastic end cap.

COLLABORATE-IT-2335	35″ W	23″ D	24.5-35.5" H
COLLABORATE-IT-2735	35″ W	27″ D	24.5-35.5" H
COLLABORATE-IT-2464	64" W	24″ D	24.5-35.5" H
COLLABORATE-IT-3034	34″ W	30″ D	24.5-35.5" H
COLLABORATE-IT-2940	40″ W	29″ D	24.5-35.5" H
COLLABORATE-IT-3550	50" W	35″ D	24.5-35.5" H



COLLABORATE-IT

allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. 18 gauge perforated modesty panel. Milled aluminum end cap mechanism is held in place with the insertion of the floor glide.

TEAM-IT-2434 24" D 34" W 23.5-34.5" H
---------------------------------------

#### READ-IT . . . . . . . . Adjustable height reading table

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium all terrain leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Molded plastic end cap. AVAILABLE OPTIONS: MOVE-IT-2 or MOVE-IT-4 casters sets.

READ-IT-48T	48″ W	48″ D	24.5-35.5" H
READ-IT-60R	60" diameter		24.5-35.5" H
READ-IT-48R	48" diameter		24.5-35.5" H
READ-IT-42R	42" diameter		24.5-35.5" H
READ-IT-4848	48″ W	48″ D	24.5-35.5" H
READ-IT-4242	42″ W	42″ D	24.5-35.5" H
READ-IT-4860	48″ W	60″ D	24.5-35.5" H
READ-IT-3660	36″ W	60″ D	24.5-35.5" H
READ-IT-3060	30″ W	60″ D	24.5-35.5" H

#### MOVE-IT (-2: 2 CASTERS, -4: 4 CASTERS).....

UTILIZE-IT . . . . .

Utility tables available in rectangular, round, square and tombstone tops

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium all terrain leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Molded plastic end cap. AVAILABLE OPTIONS: MOVE-IT-2 or MOVE-IT-4 casters sets.

UTILIZE-IT-48T	48″ W	48″ D	24.5-35.5" H
UTILIZE-IT-48T	48″ W	48″ D	24.5-35.5″ H
UTILIZE-IT-60R	60 diameter		24.5-35.5" H
UTILIZE-IT-48R	48 diameter		24.5-35.5″ H
UTILIZE-IT-42R	42 diameter		24.5-35.5" H
UTILIZE-IT-4848	48″ W	48″ D	24.5-35.5" H
UTILIZE-IT-4242	42″ W	42″ D	24.5-35.5" H
UTILIZE-IT-4860	48″ W	60″ D	24.5-35.5" H
UTILIZE-IT-3660	36″ W	60″ D	24.5-35.5" H
UTILIZE-IT-3060	30″ W	60″ D	24.5-35.5" H

### STUDENT DESKS

. . . . . . . . . . 8 Standard student desk is adjustable height and available in one or two-student sizes

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black 14 gauge steel single post leg adjustable height legs. Cross bar assembly is 16 gauge tubular steel. AVAILABLE OPTIONS: Modesty panel, book box.

SDS-2260	60″ W	22″ D	26-32″ H	
SDS-2227	27″ W	22″ D	26-32" H	

AWR . 8 Fixed height, all-welded round leg student desk is available in one or two-student sizes

MONITOR: Laptop SURFACE: 1 1/4" high-pressure laminate with 3mm PVC edge FRAME: 16 Gauge 1x2" tubular frame welded to 16 gauge 1 1/2" tubular legs available in your choice of standard or premium powder coat paint finishes TOP COLORS: Maple, light oak, medium oak, cherry and walnut with matching PVC or any mainline laminate color with black PVC edge.

AWR2028	28″ W	20″ D	24/27/29″ H
AWR2428	28″ W	24″ D	24/27/29″ H
AWR2060	60" W	20″ D	24/27/29″ H
AWR2460	60" W	24″ D	24/27/29″ H

#### TEACHER DESKS

Teacher desk standard with one or two locking box/file pedestals and center drawer

SURFACE: 1 1/4" HPL laminate with t-mold bumper edge. FRAME: 23 gauge steel frame available in putty, black or gray. 16 gauge fixed height steel legs. Full extension steel ball bearing suspension file drawers. Standard center drawer. AVAILABLE OPTIONS: Casters.

PITD	48″ W	30″ D	30″ H
P2TD	60" W	30″ D	30″ H

This stand-up teacher station is offered in a right or left configuration

MONITOR: Flat-panel, CRT SURFACE: 1 1/4" high-pressure laminate top with standard black t-mold bumper edge FRAME: 3/4" black thermally fused melamine base with black 3mm PVC edge. Standard black 14 gauge reinforcement frame WIRE MANAGEMENT: 3 grommets AVAILABLE OPTIONS: Keyboard tray, CPU platform, surge suppressor.

TFAM-IT

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium single post upper leg is 14 gauge steel tube with 1/4"steel u-channel cross bar weldment. Leg lower is 16 gauge steel with perforated 1/4" holes every inch to

STS-3660-L	60″ W	36″ D	36″ H	
STS-3660-R	60″ W	36″ D	36″ H	

MONITOR: Flat panel, CRT SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge FRAME: 3/4" melamine sides and back panel WIRE MANAGEMENT: Grommets, hinged back panel, 4-outlet surge suppressor with remote on/off switch AVAILABLE OPTIONS: Flat panel monitor kit, privacy cover.

2560	60" W	30″ D	30″ H
2560NP	60" W	30″ D	30″ H
2160	60" W	30″ D	30″ H
2160NP	60" W	30″ D	30″ H
F2160	60" W	30″ D	30″ H
F2160NP	60″ W	30″ D	30″ H

MONITOR: Flat panel, CRT SURFACE: 1 1/4" high-pressure laminate with heavy duty 3/8" bumper edge available in black or graphite FRAME: Standard black 16 gauge steel double post adjustable legs with 18 gauge perforated filler panels WIRE MANAGEMENT: 3 1/4" grommets and perforated j-channel wire management/modesty panel AVAILABLE OPTIONS: Casters.

TD6636B Bow Top	66″ W	36″ D	26-32″ H
TD6636K Kidney Top	66" W	36″ D	26-32″ H
TD6636R Rectangular Top	66″ W	36″ D	26-32″ H
0 0	0 0		0 0
TD6636B	TD6636K		TD6636R



 TDS.
 11

 Teacher desk shell available with right or left return

MONITOR: Flat panel, CRT SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge FRAME: 3/4" black thermally fused melamine sides and back panel WIRE MANAGEMENT: Wire grommets AVAILABLE OPTIONS: Keyboard tray, mobile CPU platform, file pedestal, surge suppressor.

TDS-LR Desk	60″ W	30″ D	29″ H
Left Return	36″ W	18″ D	29″ H
TDS-RR Desk	60″ W	30″ D	29″ H
Right Return	36″ W	18″ D	29″ H

### LECTERNS

Bow Top

 TLECT40
 12

 Mobile standing lectern comes standard with ventilated door and shelf. Shown with optional LECT40-SHELF drop-leaf shelf. LECT40: Standard lectern does not include ventilated door or shelf

SURFACE: 1 1/4" high-pressure laminate with 3mm PVC edge (will match base color) BASE: 3/4" thermally fused melamine with matching 3mm PVC edge. One fixed shelf WIRE MANAGEMENT: 3 1/4" grommets in the top, fixed shelf and bottom TOP COLORS: Any standard Paragon color BASE COLORS: Black, maple, light oak, medium oak, cherry and walnut METAL COLORS: Black, itanium, alpine silver or platinum AVAILABLE OPTIONS: Adjustable metal shelf, rack rails, U2-Shelf.

LECT40	21″ W	24″ D	43″ H
TLECT40	21″ W	24″ D	43″ H
LECT40-SHELF			

 TBLLEC.
 12

 Table top lectern with pencil stop
 12

SURFACE: 1 1/4" high-pressure laminate with 3mm PVC edge (will match base color) BASE: 3/4" thermally fused melamine with matching 3mm PVC edge WIRE MANAGEMENT: 3 1/4" grommets in top TOP COLORS: Any standard Paragon color BASE COLORS: Black, maple, light oak, medium oak, cherry and walnut.

TBLLEC

21" W 21" D 12" H

### ACTIVITY TABLES

SURFACE: 1 1/4" high-pressure laminate top with standard black t-mold bumper edge. FRAME: 1 1/4" adjustable legs.

RECTANGLE	
AT2436	

36" W 24" D

AT2448	48″ W	24″ D
AT2460	60″ W	24″ D
AT2472	72″ W	24″ D
AT3048	48″ W	30″ D
AT3060	60″ W	30″ D
AT3072	72″ W	30″ D
AT3660	60″ W	36″ D
AT3672	72″ W	36″ D
AT4260	60″ W	42″ D
AT4872	72″ W	48″ D
SQUARE		
ATS36	36″ W	36″ D
ATS42	42" W	42″ D
ATS48	48″ W	48″ D
ROUND		
AT36R	36″ W	36″ D
AT42R	42" W	42″ D
AT48R	48″ W	48″ D
HALF ROUND		
AT48HR	48″ W	24" D
TRAPEZOID		
AT48T	48″ W	24" D
AT60T	60″ W	30" D
DESIGNS		
AT48SH	48″ W	48″ D
Shamrock		
AT60D	60″ W	60″ D
Daisy		
AT6066	60″ W	66" D
Horseshoe		
AT48K	72″ W	48″ D
Kidney		
AT2460	ATS	AT36R
Rectangle	Square	Round
Rectarigle	square	Round
		\ \
AT48HR	AT48T	AT48SH
Half round	Trapezoid	Shamrock
		Graniook

 MELAMINE BASE SHAMROCK ACTIVITY TABLE
 13

 Shamrock top children's table great for activities of all kinds
 13

SURFACE: 1 1/4" high-pressure laminate top with standard black t-mold bumper edge. BASE: Standard black base is 1" thermally fused melamine and matching 3mm PVC edge. TOP COLORS: Choose from any standard Paragon color.

AT6066

Horseshoe

AT48K

Kidney

AT48SH-M 48" W 48" D 19.5" H

### LEARNING BAY

AT60D

Daisy

S

F

E

SURFACE: 1 1/4" high-pressure laminate top, flip door and shelf with standard black waterfall t-mold bumper edge. BASE: 1 1/4 " double sided high-pressure laminate end panel and back panels with t-mold bumper edge. WIRE MANAGEMENT: 3 1/4" grommet in each end panel. Perforated wire chase made of 18 gauge steel. COLORS: Select one color for the top, back and base shelf and then select a complimentary color for the end panels. AVAILABLE OPTIONS: Laptop Nest, Learning Bay CPU holder, surge suppressor, keyboard tray, monitor arm.

LRN60		63″ W	31″ D	37″ H
LRN36		39″ W	31″ D	37″ H
30" Work Surfc	ice			
LEARNING BAY AC	CESSORIES			
LRN-CPR	CPU Holder			
LRN-NEST	Laptop Nest			


### Y-LEG TABLES

SHAPZ . . 18 RT/LT: Right and left tech collaborative function adds excitement to this y-leg work station. Shown with optional FPMA-200 monitor arms. RW/LW: Right and left wave workstations are shown with optional FPMA-200 monitor arms and SKC-4 casters.

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate top with t-mold bumper edge front and square corner 3mm PVC sides and back available in black or wood grain match. Also available in rounded corner t-mold bumper edge. FRAME: 14 gauge steel single post adjustable leg and 16 gauge y-support. WIRE MANAGEMENT: Wire grommet(s) and modesty panel/ J-channel wire chase with perforated hinged door ideal for hard wired installations. Optional "Reversible Shorty" hinged door can be ordered to open to the inside of the work station when placing unit against wall. AVAILABLE OPTIONS: Casters, keyboard trays, CPU platforms, book racks, surge suppressors, Shapz Connector ganging clips.

LW60	60″ W	30″ D	26-32" H
LW48	48″ W	30″ D	26-32" H
RW60	60″ W	30″ D	26-32" H
RW48	48″ W	30″ D	26-32″ H
OW60	60″ W	30″ D	26-32″ H
OW48	48″ W	30″ D	26-32" H
LT60	60″ W	30″ D	26-32" H
LT48	48″ W	30″ D	26-32" H
RT60	60″ W	30″ D	26-32" H
RT48	48″ W	30″ D	26-32" H
REC3060	60″ W	30″ D	26-32″ H
REC3048	48″ W	30″ D	26-32" H
REC2460	60″ W	24″ D	26-32" H
REC2448	48″ W	24" D	26-32" H

Elementary Height Available (E) 21-25" H \*(W) "Reversible Shorty" hinged wire door



RW60/RW48 Left Wave **Right Wave** Outside Wave YCD.

OW60/OW48

Y-leg work station available in 24 and 30" depths. Shown with optional CPR CPU platform and KB21 keyboard trav

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate top with standard black t-mold bumper edge. FRAME: Standard black 14 gauge steel single post adjustable leg and 16 gauge y-support. WIRE MANAGEMENT: Wire grommet(s) and modesty panel/ J-channel wire chase. AVAILABLE OPTIONS: Casters, keyboard trays, CPU platforms, book racks, surge suppressors.

YCD2472	72″ W	24″ D	26-32" H
YCD2460	60″ W	24″ D	26-32" H
YCD2448	48″ W	24″ D	26-32" H
YCD2436	36″ W	24″ D	26-32" H
YCD3072	72″ W	30″ D	26-32" H
YCD3060	60″ W	30″ D	26-32" H
YCD3048	48″ W	30″ D	26-32" H
YCD3036	36″ W	30″ D	26-32" H

Elementary Height Available (E) 21-25" H

#### SINGLE POST LEG

1W60/IW48

These single post leg work stations are available in 24 and 30" depths

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 14 gauge steel single post adjustable legs. WIRE MANAGEMENT: Wire grommet(s) and modesty panel/ J-channel wire chase. AVAILABLE OPTIONS: Casters, keyboard trays, CPU platforms, book racks, surge suppressors.

SCD72	72″ W	24″ D	26-32″ H
SCD60	60″ W	24″ D	26-32" H
SCD48	48″ W	24″ D	26-32" H
SCD36	36″ W	24″ D	26-32" H
SCD30	30″ W	24″ D	26-32" H
PRINTER STANDS			
SCU42	59″ W	33″ D	26-32" H
SPD48	48″ W	30″ D	26-32" H
Elementary Height Available	(E) 21-25″ H		

30" deep design, with configurable full-size options

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 14 gauge steel single post adjustable legs. WIRE MANAGEMENT: Wire grommet(s) and modesty panel/ J-channel wire chase. AVAILABLE OPTIONS: Casters, keyboard trays, CPU platforms, book racks, surge suppressors.

SCD3072	72″ W	30″ D	26-32″ H
SCD3060	60″ W	30″ D	26-32″ H
SCD3048	48″ W	30″ D	26-32″ H
SCD3036	36″ W	30″ D	26-32″ H
SCD3030	30″ W	30″ D	26-32″ H
PRINTER STAND			
SPD60	60″ W	30″ D	26-32″ H
Elementary Height /	Available (E) 21-25" H		

Semi-recessed flat panel monitor work stations are 24" deep and available in multiple sizes for one or two students)

MONITOR: Flat panel. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 14 gauge steel single post adjustable legs. WIRE MANAGEMENT J-channel with semi-recessed monitor tubs. AVAILABLE OPTIONS: Casters, surge suppressors, CPU platforms.

F6SR72	72″ W	24″ D	26-32" H
F6SR60	60″ W	24″ D	26-32″ H
F6SR48	48″ W	24″ D	26-32″ H
F6SR36	36″ W	24″ D	26-32″ H
F6SR30	30″ W	24″ D	26-32″ H

BI-LATERAL WORK STATION . . Angular style for both right-hand and left-hand users with a 22" workspace

MONITOR: Flat panel, CRT, Laptop. SURFACE: 3/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel single post legs. WIRE MANAGEMENT: J-channel wire management. AVAILABLE OPTIONS: Keyboard tray, mobile CPU platform, surge suppressors, power/data center, casters.

BL	56″ W	32″ D	29″ H
PRINTER STANDS			
PS4	41.5″ W	20.5″ D	29/31″ H
PS2	24″ W	24" D	29/31″ H

DELUXE LAPTOP WORK STATIONS . . Upgraded version of our SLT with standard PS-200 two-outlet power supply

MONITOR: Laptop. SURFACE: 1 1/4" high-pressure laminate with 3mm PVC edge. FRAME: 14-gauge steel single post adjustable legs in your choice of premium finishes. WIRE MANAGEMENT: Wire grommet(s) and J-channel wire chase. TOP COLORS: Maple, light oak, medium oak, cherry and walnut with matching PVC or any mainline laminate color with black PVC edge. AVAILABLE OPTIONS: Casters.

XLT72	72″ W	24″ D	26-32″ H
XLT60	60″ W	24″ D	26-32″ H
XLT30	30″ W	24″ D	26-32″ H
Elementary Height Av	ailable (E) 21-25" H		

Space-saving desks with pop-up, two-outlet data port surge protectors

MONITOR: Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 14 gauge steel single post adjustable legs. WIRE MANAGEMENT: Wire grommet(s) and J-channel wire chase. AVAILABLE OPTIONS: Casters.

SLT72	72″ W	24″ D	26-32″ H
SLT60	60" W	24″ D	26-32″ H
SLT30	30″ W	24″ D	26-32″ H

Elementary Height Available (E) 21-25" H

#### DOUBLE POST LEG

WORK STATIONS Shown is the Deluxe CD work station which comes standard with CPU-A rack(s) and is shown with optional KB21 keyboard trays and SR814 storage rack. The Classic CD work station does not include the CPU-A. One and two station units available

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel double post adjustable legs. WIRE MANAGEMENT: Grommets, rear chase with pivotal door. AVAILABLE OPTIONS: Keyboard trays, CPU platforms, book racks, surge suppressors, casters.

CLASSIC			
CD72	72″ W	30″ D	26-32" H
CD60	60" W	30″ D	26-32" H
CD48	48″ W	30″ D	26-32" H
CD36	36″ W	30″ D	26-32″ H
DELUXE			
CD84R	84″ W	30″ D	26-32" H
CD72R	72″ W	30″ D	26-32″ H
CD56R	56″ W	30″ D	26-32″ H

CD44R	44″ W	30″ D	26-32″ H
Adjustable CPU rack(s) com	e standard o	on deluxe m	nodels
PRINTER STANDS			
CDPS48	48″ W	42″ D	26-32" H
CDPD60	60″ W	30″ D	26-32″ H
(E) Elementary Height Available 21-25" H			

#### 

Flip door wire chase work stations shown as the classic FD work station with optional KB21 keyboard tray, CPR platform, and HRC-4 casters. Also available as the Deluxe FD model which includes standard CPU-A rack(s). One and two station units available

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel double post adjustable legs. WIRE MANAGEMENT: Top access flip-door. AVAILABLE OPTIONS: Keyboard trays, CPU platforms, book racks, surge suppressors, casters.

CLASSIC			
FD72	72″ W	30″ D	26-32" H
FD60	60″ W	30″ D	26-32" H
FD48	48″ W	30″ D	26-32" H
FD36	36″ W	30″ D	26-32" H
(E) Elementary Height Availal	ole 21-25″ H		
DELUXE			
FD84R	84″ W	30″ D	26-32" H
FD72R	72″ W	30″ D	26-32" H
FD56R	56″ W	30″ D	26-32" H
FD44R	44″ W	30″ D	26-32" H
Adjustable CPU rack(s) come standard on deluxe models			

#### 

with optional KB21 keyboard trays

MONITOR: Flat panel. SURFACE: 1 1/4" High-pressure laminate with standard black t-mold bumper edge. FRAME: 4" casters with standard black 14 gauge double post adjustable legs. WIRE MANAGEMENT: J-channel wire chase, wire basket. AVAILABLE OPTIONS: Keyboard trays, riser stand. Also available without semi-recessed monitor bays.

FLAT PANEL SEMI-RECESSED			
F1600	94″ W	45″ D	29.5-32" H
F1600R	94″ W	45″ D	29.5-32" H
WITHOUT RECESSED TUB			
1600	94″ W	45″ D	29.5-32" H
1600R	94″ W	45″ D	29.5-32" H
(R) with 6" riser			

 DOUBLE TIER WORK STATIONS.
 23

 Two-tier desk.
 23

MONITOR: Flat panel, CRT, Laptop. SURFACE: 3/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel double post fixed or adjustable legs. WIRE MANAGEMENT: Grommet. AVAILABLE OPTIONS: Keyboard tray, CPU platform, surge suppressor, casters.

PCU-36	36″ W	30″ D
(F) Fixed Height 27" H, (A)	Adjustable He	eight 26-32″ H,
(E) Elementary Height 21-2	5" H, (C) for C	Casters

#### 4-LEG

2

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. WIRE MANAGEMENT: Flip door top access wire management. AVAILABLE OPTIONS: Keyboard trays, mobile CPU platforms, surge suppressors, fully welded frame.

FTT84 FTT72	84″ W 72″ W	30" D 30" D	20-34″ H 20-34″ H
FTT60	60″ W	30″ D	20-34" H
FTT48	48″ W	30″ D	20-34" H
FTT42	42″ W	30″ D	20-34" H
FTT36	36″ W	30″ D	20-34" H

#### 

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. WIRE MANAGEMENT: Wire grommet(s) and J-channel wire chase. AVAILABLE OPTIONS: Keyboard trays, mobile CPU platforms, surge suppressors, fully welded frame.

24" DEEP TRAINING TABLES			
SCT84	84″ W	24″ D	20-34" H
SCT72	72″ W	24″ D	20-34" H
SCT60	60″ W	24″ D	20-34" H
SCT48	48″ W	24″ D	20-34" H
SCT42	42″ W	24″ D	20-34" H
SCT36	36″ W	24" D	20-34" H

30" DEEP TRAINING TABLE	S		
CTT84	84″ W	30″ D	20-34" H
СП72	72″ W	30″ D	20-34" H
CTT60	60" W	30″ D	20-34" H
CTT48	48″ W	30″ D	20-34" H
CTT42	42″ W	30″ D	20-34" H
CTT36	36″ W	30″ D	20-34" H
PRINTER STAND FOR 30" D	EEP TRAINING TAB	LES	
CTCU48	66" W	42″ D	20-34" H

#### MULTI-USER WORK STATIONS

#### 1000XL/1000. . . . . . . . . . .

Two adjustable height three-station tables shown back to back with 1020XL printer stand

MONITOR: Flat panel, CRT, Laptop. SURFACE: 3/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: 2 1/4" tubular steel legs in chrome with 4" adjustable glides. WIRE MANAGEMENT: Grommet and wire basket. AVAILABLE OPTIONS: Keyboard trays (on 1000XL only), mobile CPU platforms, adjustable leg glides, peripheral stand.

1	000XL	96″ \	N	44″	D
E	lementary Height 23-27" H,	Youth H	leight	27-31	" H, Adult Height 30-34" H
1	000	80″ \	N	35″	D
E	lementary Height 23-27" H,	Youth H	leight	27-31	" H, Adult Height 30-34" H

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: 2 1/4" tubular steel legs in chrome or black. WIRE MANAGEMENT: Grommet and wire basket. AVAILABLE OPTIONS: Keyboard trays, mobile CPU platforms, surge suppressors, adjustable leg glides.

1400	84″ W	42″ D	28″ H
(E) Elementary Height Av	ailable 24″ H		

MONITOR: Flat panel, CRT, Laptop. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: 2 1/4" tubular steel legs in chrome or black with 4" adjustable glides. WIRE MANAGEMENT: Grommets and wire basket.

1500	96″ W	46" D	27-31″ H
(E) Elementary Height Availa	ble 24-28" H		

EL10XL	96″ W	44″ D	
Elementary Height 23" H, '	Youth Height 27	" H, Adult	Height 29″ H
EL10	80″ W	35″ D	
Elementary Height 23" H, Y	Youth Height 27	" H, Adult	Height 29″ H
EL12XL	60″ W	54″ D	16/20/23" H
EL11	60″ W	27″ D	16/20/23″ H

#### PARAVISION

MONITOR: Flat Panel and CRT. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: Melamine sides and back panel. WIRE MANAGEMENT: Grommets, hinged back panel, 4-outlet surge suppressor with remote on/off switch. AVAILABLE OPTIONS: Flat panel monitor kit, privacy cover.

2272	72″ W	30″ D	30″ H
2260	60″ W	30″ D	30″ H
F2272	72″ W	30″ D	30″ H
F2260	60″ W	30″ D	30″ H
2236 (S/A)	36″ W	30″ D	30″ H
F2236 (S/A)	36″ W	30″ D	30″ H
(S) Starter, Monitor left only			

(A) Adder, Monitor left only

#### 

Semi-recessed positioning for flat panel monitors with standard keyboard tray

MONITOR: Flat panel and CRT. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: 3/4" melamine sides and back panel. WIRE MANAGEMENT: Hinged back panel, grommet. AVAILABLE OPTIONS: Surge suppressors.

F2460	60″ W	24″ D	30″ H
F2460NP*	60″ W	24" D	30″ H
F2436 L/R	36″ W	24″ D	30″ H

. . 25

F2430 L/R	30″ W	24″ D	30″ H
2536SR-L/R	36″ W	30″ D	30″ H
*NP - No pedestal: *F -	- Flat Panel		

RECESSED WORK STATIONS - 2100 SERIES . . . . . . . . . . . . . Fully recessed monitor bay places monitor inside the desk and comes standard with keyboard tray. Available for flat panel and CRT monitors

MONITOR: Flat Panel and CRT. SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge. FRAME: 3/4"melamine sides and back panel. WIRE MANAGEMENT: Grommets, hinged back panel, 4-outlet surge suppressor with remote on/off switch. AVAILABLE OPTIONS: Flat panel monitor kit, privacy cover.

2142L/R	42″ W	30″ D	30″ H
2136L/R	36″ W	30″ D	30″ H
2130L/R	30″ W	30″ D	30″ H
2130L/R-27	30″ W	30″ D	27″ H
2148 PAC L/R	48″ W	30″ D	39″ H
2142 PAC L/R	42″ W	30″ D	39″ H
2136 PAC L/R	36″ W	30″ D	39″ H

(F) Factory installed flat panel monitor kit.

(PD) Optional door with lock for 2148 PAC and F2148 PAC units only.

### ART & DESIGN

. . . . . . . . . . This modern split top drafting table allows for 24 ° tilt on one side and is fixed for monitor placement on the other. Comes standard with CPR CPU rack and PDA pencil drawer

MONITOR: Flat screen, CRT. SURFACE: 3/4" high-pressure laminate with PVC edge banding. FRAME: Standard black 16 gauge steel apron with 14 gauge steel adjustable legs. WIRE MANAGEMENT: J-channel wire chase. AVAILABLE OPTIONS: Casters.

CT48	48″ W	24″ D	28-40" H

DRAFTING TABLES . . . . Solid and split-top drafting tables adjust up to 18 tilt levels or  $24^\circ$ 

SURFACE: 3/4" high-pressure laminate top with standard black 3mm PVC edge banding. FRAME: Standard black 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. AVAILABLE OPTIONS: Fully welded frame.

DST3042	42″ W	30″ D	28-40″ H
DST3036	36″ W	30″ D	28-40″ H
DST2442	42″ W	24" D	28-40" H
DST2436	36″ W	24" D	28-40" H
DT3030	30″ W	30″ D	28-40" H
DT2430	30″ W	24″ D	28-40″ H

#### METAL BASE ART TABLES . .

A welded apron gives added durability

SURFACE: 1 1/4" high-pressure laminate top with standard black t-mold bumper edge. FRAME: Standard black 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. AVAILABLE OPTIONS: Fully welded frame.

ART72	72″ W	24″ D	20-34″ H
ART60	60″ W	24″ D	20-34" H
ART54	54″ W	24" D	20-34" H
ART48	48″ W	24" D	20-34" H
ART7230	72″ W	30″ D	20-34" H
ART6030	60″ W	30″ D	20-34" H
ART5430	54″ W	30″ D	20-34" H
ART4830	48″ W	30″ D	20-34" H

. . . . . . . 29 A solid table that has multiple uses in the educational environment. SURFACE: 1 1/4" high-pressure laminate with t-mold bumper edge

SURFACE: 1 1/4" high-pressure laminate with t-mold bumper edge. FRAME: 1" melamine laminated 45 lb core with metal-to-metal fasteners for years of use. COLORS: Comes standard with maple base, black t-mold and white nebula top. AVAILABLE OPTIONS: Choose from maple, light oak, medium oak, walnut, cherry or black base with your choice of standard mainline laminate top colors.

ART4260M

60″ W 42″ D

30″ H

### SCIENCE TABLES

Solid oak table frames and legs provide durability to these wooden science tables. Tops are available in: (HPL) High-pressure laminate, (CR) Chemsurf, (EP) Epoxy Resin

SURFACE: 1 1/4" high-pressure laminate, 1 1/4" Chemsurf, or 1" epoxy resin. FRAME: Solid oak apron with reinforced corner brackets with 2 1/2" solid oak legs with 1" adjustment glides. AVAILABLE OPTIONS: Factory installed storage compartment.

WST72	72″ W	24″ D	30″ H
WST60	60" W	24″ D	30″ H
WST54	54″ W	24″ D	30″ H
WST48	48″ W	24″ D	30″ H

(WC) Storage 17.75" W 14" D 5" H (P) High-Pressure Laminate (CR) Chemsurf (EP) Epoxy Resin

Sturdy science table are based on metal aprons. Tops are available in: (HPL) High-pressure laminate, (CR) Chemsurf, (EP) Epoxy Resin

SURFACE: Black 1 1/4" high-pressure laminate, 1 1/4" Chemsurf, or 1" epoxy resin. FRAME: Standard knapsack color 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. AVAILABLE OPTIONS: Storage compartment, fully welded frame.

MST72	72″ W	24″ D	20-34" H
MST60	60″ W	24″ D	20-34" H
MST54	54″ W	24″ D	20-34" H
MST48	48″ W	24″ D	20-34" H
MST7230	72″ W	30″ D	20-34" H
MST6030	60″ W	30″ D	20-34" H
MST5430	54" W	30″ D	20-34" H
MST4830	48″ W	30″ D	20-34" H
(WC) Storage 14" W 17"	D 5″ H		
(D) High Prosecure Lamina	nto		

(CR) Chemsurf

(EP) Epoxy Resin \* (WC) not available with (EP)

### CIRCULATION

LIBRARY

**INFINITY CIRCULATION DESKS**. . . . 35 With its modular flexibility, the Infinity series circulation desk and components provide countless configurable options available in 32" and 39" heights.

MONITOR: Flat panel or CRT, with recessed, semi-recessed or desktop positioning. SURFACE: 1 1/4" high-pressure laminate top and thermally fused melamine sides and back with 3mm PVC edge banding. COLORS: Maple, light oak, medium oak, cherry and walnut. WIRE MANAGEMENT: Grommets and wire management channels. AVAILABLE OPTIONS: Coordinating HPL tops, ParaVision recessed monitors tubs, semi-recessed monitor tubs, keyboard trays, file pedestals, hanging cpu holders, pencil drawers.

3236-DS-29	32″ H	36″ W	29″ H
3236-DS-32	32″ H	36″ W	32″ H
3248-DS-29	32″ H	48″ W	29″ H
3248-DS-32	32″ H	48″ W	32″ H
3260-DS-29	32″ H	60″ W	29″ H
3260-DS-32	32″ H	60″ W	32″ H
3272-DS-29	32″ H	72″ W	29″ H
3272-DS-32	32″ H	72″ W	32″ H
3936-DS-29	39″ H	36″ W	29″ H
3936-DS-32	39″ H	36″ W	32″ H
3948-DS-29	39″ H	48″ W	29″ H
3948-DS-32	39″ H	48″ W	32″ H
3960-DS-29	39″ H	60″ W	29″ H
3960-DS-32	39″ H	60″ W	32″ H
3972-DS-29	39″ H	72″ W	29″ H
3972-DS-32	39″ H	72″ W	32″ H

(TDS) Desk shells with Transition Shelves





with Transaction Shelf

DESK SHELL

DESK SHELL


with Shelf



32-CWS, 39-CWS Computer Work Station



32-OS, 39-OS
Open Storage



### SHELVING

INFINITY SHELVING . 37-38 Offers a full range of shelf units from 36" to 84" high with a choice of metal or laminate shelves.

SURFACE: 1" Thermally Fused Melamine with matching 3mm PVC edge banding. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut. METAL SHELVES: 18 gauge steel shelves with built in Deflecta-Stop available in wheat, chateau brown, or midnight black. AVAILABLE OPTIONS: Accessory backs, magazine shelves, picture book shelves, wire book supports, video shelves, corner filler pieces, slat-wall accessory, coordinating HPL tops.

36" SINGLE FACE SHELVING
36-SFS
36-SFSM
36-SFA
36-SFAM
36" DOUBLE FACE SHELVING
36-DFS
36-DFSM
36-DFA
36-DFAM
42" SINGLE FACE SHELVING
42-SFS
42-SESM
42-SFA
42-SFAM
42" DOUBLE FACE SHELVING
42-DFS
42-DFSM
42-DFA
42-DFAM
42" PICTURE BOOK SINGLE FACE
SHELVING
42-PBSFS
42-PBSFSM
42-PBSFA
42-PBSFAM
42" PICTURE BOOK DOUBLE FACE
SHELVING
42-PBDFS
42-PBDFSM
42-PBDFA
42-PBDFAM
42" SINGLE FACE VIDEO SHELVING
42-SFS-V
42-SFA-V
42" DOUBLE FACE VIDEO
SHELVING
42-DFS-V
42-DFA-V
42" DOUBLE FACE MOBILE
SHELVING
42-M-DFS
42-M-DFSM
48" SINGLE FACE SHELVING
48-SFS
48-SFSM
48-SFA
48-SFAM
48" DOUBLE FACE SHELVING
48-DFS
48-DFSM
48-DFA
48-DFAM
48" PICTURE BOOK SINGLE FACE
SHELVING
48-PBSFS

48-PBSFSM 48-PBSFA 48-PBSFAM 48" PICTURE BOOK DOUBLE FACE SHELVING 48-PBDFS 48-PBDFSM 48-PBDFA 48-PBDFAM **48" SINGLE FACE VIDEO SHELVING** 48-SFS-V 48-SFA-V 48" DOUBLE FACE VIDEO SHELVING 48-DFS-V 48-DFA-V **48" DOUBLE FACE MOBILE** SHELVING 48-M-DFS 48-M-DFSM **60" SINGLE FACE SHELVING** 60-SFS 60-SFSM 60-SFA 60-SFAM 60" DOUBLE FACE SHELVING 60-DFS 60-DFSM 60-DFA 60-DFAM **60" SINGLE FACE VIDEO SHELVING** 60-SFS-V 60-SFA-V 60" DOUBLE FACE VIDEO SHELVING 60-DFS-V 60-DFA-V 72" SINGLE FACE SHELVING 72-SFS 72-SFSM 72-SFA 72-SFAM 72" DOUBLE FACE SHELVING 72-DFS 72-DFSM 72-DFA 72-DFAM 72" SINGLE FACE VIDEO SHELVING 72-SFS-V 72-SFA-V 72" DOUBLE FACE VIDEO SHELVING 72-DFS-V 72-DFA-V 84" SINGLE FACE SHELVING 84-SFS

#### MSA Magazine Shelf Accessory MSAM Magazine Shelf Accessory PBSA Picture Book Shelf Accessory PBSAM Picture Book Shelf Accessory Metal WAPBS Wire Book Supports VSA Video Shelf Accessory BSA Book Support Accessory DOUBLE FACE SLAT WALL SW-36 SW-42 SW-48 SW-60 SW-72 SW-84 WALL HUNG SLAT WALL SW-2448 SW-4824 SW-4848 SW-4872 SW-4896

#### **CARRELS & PUBLIC ACCESS CENTERS**

Study carrels include bottom storage shelf with notched corners for wire management. Provide plenty of workspace and offer options that meet ADA requirements

SURFACE: 1 1/4" high-pressure laminate top with 1" high density thermally fused melamine sides and matching t-mold. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut. WIRE MANAGEMENT: Grommet(s).

	6042-HAC	60″ W	36" D 43" H/32" H Desk
	6042-EPAC	60″ W	30" D 43" H/32" H Desk
	6042-PAC	60" W	30" D 43" H/39" H Desk
	6042-SC	60" W	30" D 43" H/29" H Desk
	39-RC	80″ W	37" D 39" H
	32-RC	80″ W	37" D 32" H
	3642-SCS	36″ W	30" D 42" H/29" H Desk
	3642-SCA	35″ W	30" D 42" H/29" H Desk
C	:100		
	C100S	36″ W	30" D 48" H/29" H Desk
	C100A	35″ W	30" D 48" H/29" H Desk

#### TABLE CARRELS . 41 Table carrels are available in 24" and 30" depth starter and adder units. Adjustable legs offer maximum flexibility.

SURFACE: 3/4" high density thermally fused melamine with matching t-mold. FRAME: Standard black 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut. WIRE MANAGEMENT: Grommet.

TC100S	36″ W	24″ D	20-34″ H
TC100A	36″ W	24″ D	20-34" H
TC200S	36″ W	30″ D	20-34" H
TC200A	36″ W	30″ D	20-34" H

#### DOUBLE-FACED TABLE CARRELS . . . .

Double-faced table carrels make the most out of your available space

SURFACE: 3/4" high density thermally fused melamine with matching t-mold. FRAME: Standard black 16 gauge steel tubular apron and 14 gauge steel 1 1/2" adjustable single post legs. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut. WIRE MANAGEMENT: Grommet.

TC100DS	36″ W	48″ D	20-34" H	
TC100DA	36″ W	48″ D	20-34" H	

### LIBRARY TABLES

METAL ROUND LEG LIBRARY TABLES. . . . . . 42 Infinity reading are available in elementary, youth and adult heights and rectangle, square and round shapes

SURFACE: 1 1/4" high-pressure laminate with matching t-mold bumper. TOP COLOR: Any standard Paragon color. EDGE COLOR: Black, maple, light oak, medium oak, cherry and walnut. FRAME Standard black 16 gauge steel tubular apron and 16 gauge tubular legs. AVAILABLE OPTIONS: Casters on 2 legs for mobility.

60R-LT	60″ W	Round	24/27/29″ H
48R-LT	48″ W	Round	24/27/29″ H
42R-LT	42" W	Round	24/27/29″ H
4848-LT	48″ W	Square	24/27/29″ H
4242-LT	42" W	Square	24/27/29″ H
4872-LT	72″ W	48″ D	24/27/29″ H
4860-LT	60" W	48″ D	24/27/29″ H
3672-LT	72″ W	36″ D	24/27/29″ H

3072-LT	72″ W	30″ D	24/27/29″ H
3660-LT	60″ W	36″ D	24/27/29″ H
3060-LT	60″ W	30″ D	24/27/29″ H
Add (M) for 2 Casters			

SURFACE: 1 1/4 " High-pressure laminate with 3mm PVC edge. Apron is a unique use of 1/2" particle board with 3mm pvc edge for clean looking lines. LEG ASSEMBLY: 2 1/4" square hardwood legs are each fastened to a 1/4" thick steel plate by the use of two bolts into a double threaded nut which is embedded inside the leg. TOP COLOR: Any standard Paragon color. EDGE COLOR: Black, maple, light oak, medium oak, cherry and walnut. LEG COLOR: Maple, light oak, medium oak, cherry and walnut.

60R-WLT 48R-WLT 42R-WLT 4848-WLT 4848-WLT 4242-WLT 4860-WLT 3660-WLT 2040 WLT	60" W 48" W 42" W 48" W 42" W 60" W 60" W	Round Round Square Square 48" D 36" D	24/27/29" H 24/27/29" H 24/27/29" H 24/27/29" H 24/27/29" H 24/27/29" H 24/27/29" H
3060-WLT	60" W	30″ D	24/27/29″ H

. . 45

REFER TO PAGE 60 FOR FULL SPECS

### LIBRARY DISPLAY FURNITURE

INFORMATION BAY . SURFACE: 1 1/4" HPL laminate with t-mold bumper edge. BASE: 1 1/4" double-sided HPL end panels with t-mold bumper edge. WIRE MANAGEMENT: Ventilated 18 gauge steel locking door.

INFORMATIO	N BAY	32.5″ W	25″ D	41″ H
38" work surf	ace			

WAVE KIOSK
SURFACE: 1 1/4" HPL laminate with t-mold bumper edge. BASE: 1 1/4" double-sided HPL end
panels with t-mold bumper edge. WIRE MANAGEMENT: Ventilated 18 gauge steel locking door.

SURFACE: 1 1/4" high-pressure laminate with t-mold bumper edge. FRAME: Standard black 16 gauge steel double post legs. AVAILABLE OPTIONS: CPU platforms, keyboard trays or book rack.

SWC30	30″ V	N 30″ D	39″ H	
6-POCKET MAGAZINE DISPLAY				

Six-pocket magazine display shows off latest periodicals

SURFACE: High density Thermally Fused Melamine with 3mm PVC edge banding. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut.

48-MD 36" \	
-------------	--

SURFACE: Thermally Fused Melamine with matching t-mold bumper edge. COLORS: Maple, light oak, medium oak, cherry and walnut. METAL COLORS: Wheat, Chateau Brown, Midnight Black.

BT-1836	36″ W	18.5″ D	36.5″ ⊦

SURFACE: High density Thermally Fused Melamine with 3mm PVC edge banding. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut.

39-DS	23.5″ W	20″ D	39″ H
39-CS	23.5″ W	20" D	39″ H
39-AS	28″ W	26″ D	42″ H
32-DS	23.5″ W	20" D	32″ H
32-CS	23.5″ W	20" D	32″ H

### STORAGE

### TECHNOLOGY STORAGE


 GAMES
 48

 Mobile locking station for your gaming equipment
 48

SURFACE: 1 1/4" high-pressure laminate top with heavy duty 3/8" t-mold bumper edge in black or graphite. BASE: 3/4" thermally fused melamine with matching 3mm PVC edge. One adjustable 18 gauge perforated metal shelf. Plexiglass door with lock. Vent grommet in each end panel. WIRE MANAGEMENT: 3 1/4" grommets in the top. TOP COLORS: Any standard Paragon color. BASE COLORS: Black, maple, light oak, medium oak, cherry and walnut. METAL COLORS: Black, titanium, alpine silver or platinum. AVAILABLE OPTIONS: Adjustable metal shelf, rack rails, U2-Shelf, surge suppressors, GS-MOUNT TV mounting arm.

GAMES	46" W	35″ D	33″ H

SURFACE: 1 1/4" high-pressure laminate top with t-mold bumper edge. BASE: 3/4" thermally fused melamine with matching 3mm PVC edge. One adjustable 18 gauge perforated metal shelf. 18 gauge perforated metal door with lock and handle. Vent grommet in each end panel. WIRE MANAGEMENT: 3 1/4" grommets in the top, 14 gauge metal power cleat. TOP COLORS: Any standard Paragon color. BASE COLORS: Black, maple, light oak, medium oak, cherry and walnut. Top t-mold color will match the base color. METAL COLORS: Black, titanium, alpine silver or platinum. AVAILABLE OPTIONS: Adjustable metal shelf, rack rails, U2-Shelf, Laptop Cradles, surge supressors.



SURFACE: 1 1/4" high-pressure laminate top with 3mm PVC edge. PVC edge color will match the base color. BASE: 3/4" thermally fused melamine with matching 3mm PVC edge. Two adjustable 18 gauge perforated metal shelves. 18 gauge perforated metal door with handle and lock. WIRE MANAGEMENT: 3 1/4" grommets in the top. Locking hinged rear door. TOP COLORS: Any standard Paragon color. BASE COLORS: Black, maple, light oak, medium oak, cherry and walnut. METAL COLORS: Black, titanium, alpine silver or platinum. AVAILABLE OPTIONS: Adjustable metal shelf, Laptop Cradles, rack rails, U2-Shelf, surge suppressors, mobility kit.

65″ W	28″ D	36″ H
45″ W	28″ D	36″ H
25″ W	28″ D	36″ H
GE ACCESSORIES		
Set of 7 Laptop Crad	les	
U2 Rack Shelf		
14U 14.5″ H		
19" Perforated Metal	Shelf	
Mobility Kit		
	45" W 25" W GE ACCESSORIES Set of 7 Laptop Crad U2 Rack Shelf 14U 14.5" H 19" Perforated Metal	45" W 28" D 25" W 28" D GE ACCESSORIES Set of 7 Laptop Cradles U2 Rack Shelf 14U 14.5" H 19" Perforated Metal Shelf

### CLASSROOM STORAGE

SURFACE: High density thermally fused melamine with matching 3 mm PVC edge banding. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut. FRAME: 1 1/2" tubular frame, 12 gauge corner brackets, 3 point lock, and 5" casters. AVAILABLE OPTIONS: Bumper edge.

48″ W	24″ D	72″ H
36″ W	24″ D	72″ H
48″ W	24″ D	72″ H
36″ W	24″ D	72″ H
	36" W 48" W	36" W 24" D 48" W 24" D

SURFACE: Thermally Fused Melamine with matching 3mm PVC edge banding. LAMINATE COLORS: Maple, light oak, medium oak, cherry and walnut.

FS-LAT29	29″ W	24″ D	29″ H

#### 

SURFACE: Thermally Fused Melamine with matching 3mm PVC edge banding. COLORS: Maple, light



### DESKS

 WORK-IT (WITH SWITCH-IT AND FILE-IT)
 52

 Adjustable height administrative desk
 52

SURFACE: 1 1/4" HPL laminate with 3/8" t-mold bumper edge available in black or graphite. FRAME: Standard black or titanium single post leg 14 gauge steel tube and leg lower is 16 gauge steel with perforated 1/4" holes every inch to allow for patent pending height adjustment bezel sleeve that contacts leg insert at 8 contact points. Molded plastic end cap. WIRE MANAGEMENT: Perforated 16 gauge steel j-channel modesty panel/wire manager. AVAILABLE OPTIONS: MOVE-IT-2 or MOVE-IT-4 casters sets, frosted plastic or laminate modesty panel.

WORK-IT-3060 60" W 30" D 24.5-35.5" H

MONITOR: Flat panel or CRT. SURFACE: 1 1/4" high-pressure laminate top and thermally fused melamine sides and back with matching 3mm PVC edge banding. COLORS: Maple, light oak, medium oak, cherry and walnut. WIRE MANAGEMENT: Grommets.



SURFACE: 1 1/4" high-pressure laminate with standard black t-mold bumper edge and black thermally fused melamine base with matching 3mm PVC edge banding. TOP COLORS: Choose from any standard Paragon color. WIRE MANAGEMENT: Panel leg wire management on 48" Deep and 60" Deep tables.

BOAT-SHAPED				
ADM60120-TBT	120″ W	60″ D	29″ H	
ADM48120-TBT	120″ W	48″ D	29″ H	
ADM4896-TBT	96″ W	48″ D	29″ H	
ADM3672-TBT	72″ W	36″ D	29″ H	
RACETRACK				
ADM60120-TRT	120″ W	60″ D	29″ H	
ADM48120-TRT	120″ W	48″ D	29″ H	

96″ W	48″ D	29″ H	
72″ W	36″ D	29″ H	
120″ W	60″ D	29″ H	
120″ W	48″ D	29″ H	
96″ W	48″ D	29″ H	
72″ W	36″ D	29″ H	
TRT		TR	
Racetrack		Rectangular	
	72° W 120° W 120° W 96° W 72° W	72° W       36° D         120° W       60° D         120° W       48° D         96° W       48° D         72° W       36° D	72° W       36° D       29° H         120° W       60° D       29° H         120° W       48° D       29° H         96° W       48° D       29° H         72° W       36° D       29° H         72° W       36° D       29° H         TRI       TR

. . . . . . . 53

#### REFERENCE TABLE. . . . . . . . . . . . . . .

This reference table offers shelving storage on all four sides

SURFACE: 1 1/4" high-pressure laminate top with standard black t-mold bumper edge. Shelving base is 1" thermally fused melamine with matching 3mm PVC edge. TOP COLORS: Any standard Paragon color. BASE COLORS: Black, maple, light oak, medium oak, cherry or walnut.

REF4872	72″ W	48″ D	39″ H
REF4872-E	72″ W	48" D	29″ H

### ACCESSORIES

### ACCESSORIES

PD

POWER SUPPL	Υ	
I OWER COTTE	SSP-2	2 Outlet Pop-Up Power Supply
	PS-100	Retractable Power Center
	PS-200	Power/Data Center
	SP-4-RS	4 Outlet Surge Suppressor with Remote Switch
	SP-10	10 Outlet Surge Suppressor
	SP-12	12 Outlet Surge Suppressor
	SP-14	14 Outlet Surge Suppressor
	PSP-6	6 Outlet Surge Suppressor
	PSP-6M	Outlet Surge Suppressor with Phone Jacks
	PS-500	Power/Data Center
		,
KEYBOARD TRA	ve	
KEIDUARD IRA		
	KB21	21" W 101/2" D
	KB21-M with 9" ma	ouse pad 21" W 101/2" D
	KB27	27" W 101/2" D
	HOUDINI	25" W adjustable keyboard arm with wrist guard
		20 Th dajaslable keyseara ann min mei gaara
CPU TOWERS.		
	CPU-M	8″-16″ W
	Mobile CPU Unit, A	Adjustable
	CPR	6″-10 1/2″ W
	CPU Platform, Adj	ustable
	CPU-A	81/2"-101/2" W 20" D 21" H
	Adjustable CPU R	
	LEARNING BAY-CF	PR
	CPU Rack	
CASTERS		57
CASTERS		Staf 4" Castar 2 Looking 2 Non Looking
CASTERS	HRC-4	Set of 4" Casters, 2 Locking, 2 Non-Locking
CASTERS	HRC-4 SKC-4A	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking
CASTERS	HRC-4	Set of 4" Casters, 2 Locking, 2 Non-Locking
CASTERS	HRC-4 SKC-4A	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking
CASTERS	HRC-4 SKC-4A SKC-4B	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking
	HRC-4 SKC-4A SKC-4B <b>\$</b>	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
	HRC-4 SKC-4A SKC-4B S GS	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
	HRC-4 SKC-4A SKC-4B S GS	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S GS FPMA-200 FPMA-100  FF-FP FF-C with casters	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S GS FPMA-200 FPMA-100  FF-FP FF-C with casters	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S S FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-FP BBF-C with casters SR814	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S GS FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-FP BBF-C with casters SR814 Double Tier Storag U2 SHELF	Set of 4" Casters, 2 Locking, 2 Non-Locking         Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Gaming Station TV Mount         Flat Panel Monitor Arm         Flat Panel Monitor Arm         15 1/2" W       20" D       27 3/4 H"         15 1/2" W       20" D       27 3/4 H"         S       10" W       18" D       8" H         ge Rack       8" H       10" W
MONITOR ARM	HRC-4 SKC-4A SKC-4B SGS FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-FP BBF-C with casters SR814 Double Tier Storag U2 SHELF LC - Laptop Cradl	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S GS FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-FP BBF-C with casters SR814 Double Tier Storag U2 SHELF	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B SGS FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-FP BBF-C with casters SR814 Double Tier Storag U2 SHELF LC - Laptop Cradl	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S S FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-C with casters SR814 Double Tier Storag U2 SHELF LC - Laptop Cradl LEARNING BAY-NE	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 
MONITOR ARM	HRC-4 SKC-4A SKC-4B S GS FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-FP BBF-C with casters SR814 Double Tier Storag U2 SHELF LC - Laptop Cradl LEARNING BAY-NE	Set of 4" Casters, 2 Locking, 2 Non-Locking         Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Set of 4" Skate Casters, 2 Locking, 2 Non-Locking         Gaming Station TV Mount         Flat Panel Monitor Arm         Flat Panel Monitor Arm         15 1/2" W       20" D         27 3/4 H"         15 1/2" W       20" D         27 3/4 H"         10" W       18" D         8" H         ge Rack         le         ST - Laptop nest
MONITOR ARM	HRC-4 SKC-4A SKC-4B S S FPMA-200 FPMA-100 FF-FP FF-C with casters BBF-C with casters SR814 Double Tier Storag U2 SHELF LC - Laptop Cradl LEARNING BAY-NE	Set of 4" Casters, 2 Locking, 2 Non-Locking Set of 4" Deluxe Skate Casters, 2 Locking, 2 Non-Locking Set of 4" Skate Casters, 2 Locking, 2 Non-Locking 

Locking Door for 2148 PAC Units

## where SERVICE happens

## LIFETIME STRUCTURAL WARRANTY

Paragon Furniture, L.P. provides a lifetime structural warranty against defects in materials, construction or workmanship. Work surfaces, moving/ wearing parts and finishes are guaranteed for five (5) years against defects.

Paragon Furniture, L.P. reserves the right to inspect, repair or replace at original invoice value, any part or product that is defective. This warranty does not cover normal wear, abuse, negligence, freight damage or any damages caused by improper assembly or installation. This guarantee is non-transferable and applies only to the original purchaser.

## **DESIGN STANDARDS**

**HIGH-PRESSURE LAMINATE**, attached to .030 Western and Southern particleboard core and feature three-ply construction, meet or exceed LEMA LD3 requirements. Appropriate backer sheets are used to balance plies (not less than .020" in thickness).

**WOOD CORE STOCKS AND LAMINATES,** made of medium density Western and Southern particleboard core, meet or exceed ANSI 208.1 specification. Boards are well-balanced on both sides to prevent moisture absorption.

VINYL T-MOLDING provides a quality touch and smooth-edge finish.

**SMOOTH, ROUND CORNERS** enhance both the look and safety of Paragon-manufactured tables.

POWDER COAT FINISH is added to all heavy gauge steel metal parts.

DURABLE WORK SURFACES.

## **ON-TIME DELIVERY**

No minimum order requirements. The Paragon team provides on-time delivery using a variety of shipping options for your budget.

## **CUSTOMER SERVICE**

Time is money and at Paragon, we understand your need to deliver choices to the end-buyer quickly and efficiently. That's why our team of engineers and design professionals are at your service. We want to navigate you to the best solutions for your markets and work with you step-by-step to ensure smart choices, fast delivery and easy installations.

## SERVICES

#### CUSTOMIZATION

Paragon will create customized solutions based on your specifications, from the leg style to the laminate color. Or our team can tweak an existing product to your exacting standards by changing a dimension or adding an accessory. With so many options, imagine the possibilities.

#### **IN-HOUSE DESIGN TEAM**

You have the vision and the Paragon engineering team has the ability to bring it to fruition. We put your ideas on paper and provide custom solutions, cost analysis and project pricing.

#### **U.S. BASED MANUFACTURING**

Paragon's full-service 80,000 square-foot facility is located in Arlington, TX.

#### QUICK SHIP

Paragon Furniture ships within 10 working days, after receipt of order, any Quick Ship product in selected finishes and Quick Ship accessories for orders of 10 or less.

## **TRADEMARKS**

#### UNREGISTERED MARKS

INTUITIVE, LEARNING BAY, READ-IT, LEARN-IT, COMPUTE-IT, TEACH-IT, SWITCH-IT, MOVE-IT, TEAM-IT, UTILIZE-IT, PARAVISION, LAPTOP NEST, SHAPZ, INFINITY, GAMES, WAVE KIOSK, INFORMATION BAY, LAPTOP CRADLE, POSI-LOCK, DEFLECTA-STOP, UNITIZER BRACE and @ are trademarks of Paragon Furniture, Inc.



2224 East Randol Mill Rd Arlington, Texas 76011

Phone: (817) 633-3242 Fax: (817) 633-2733 Toll-Free Fax: (888) 824-6494

Paragon Customer Service: 1-800-451-8546

© 2010 Paragon Furniture, Inc. All rights reserved.

www.paragoninc.com

## A NOTE ON GREEN

## RESPONSIBILITY



At Paragon, going Green is not a fad. It is an ongoing effort to improve processes with the understanding that change and investment now, mean a better future for all.

## SCIENCE & LOW EMITTING PRODUCTS

Paragon furniture classifies as low-emitting furniture in school environments. Let us help you with your projects that require LEED for Schools. We also meet the stringent qualifications for the CHPS EQ 2.3.5 credit. As a manufacturer of educational furniture that meets the criteria for CHPS and LEED for Schools, Paragon also achieved the strict standards to qualify as MAS Certified Green\*.

## REDUCE, REUSE, REAL NUMBERS AND NOT RHETORIC

Our wood products are manufactured from 100% recycled and/or recovered fiber. 100% of our wood products originate from Certified sustainable harvesting methods. Up to 90% of our packaging and steel comes from post-consumer waste or recycled materials. In the places that we must use packaging materials, they are 100% recyclable. Our investment in machinery and new processes has reduced waste by more than 60% in the past 3 years. 100% of all unused metal from the manufacturing four product is recycled locally. Paragon's Arlington based manufacturing facility uses powder-coat which means you can be assured that no solvents and negligible amounts of VOC's, if any, are being released into our atmosphere.

## PARTNERSHIPS AND ACCOUNTABILITY

As a United States based manufacturer, we feel it is our responsibility to ensure all of our supply partners share our desire for environmental stewardship. By using independent third party testing of our products, we are staying accountable to YOU. This is not about telling a nice story to make everyone feel good. This is about doing the right thing for the environment and for the planet our children will inherit.

